

ABSTRACT

A crystalline mixture solid composition comprising
 α -D-glucopyranosyl-1,1-mannitol (GPM),
5 α -D-glucopyranosyl-1,6-sorbitol (GPS-6) and a small amount
of α -D-glucopyranosyl-1,1-sorbitol (GPS-1) and a production
process therefor.

The above crystalline mixture solid composition is
produced by mixing a hydrophilic solvent with a solid
10 composition or aqueous solution comprising 50 to 80 wt% of
GPM, 1 to 50 wt% of GPS-6 and 0.01 to 20 wt% of GPS-1, separating
solid matter from a liquid, and removing water and the solvent
from the solid matter and can be obtained as a thin scale
crystal.

15

2025-10-10 10:10:10